

① 低侵襲・効率的ながん治療法開発を目的とした医歯薬連携トランスレーショナルリサーチ。

1. Yaegashi M, Otsuka K, Itabashi T, Kimura T, Kato K, Fujii H, Koeda K, Sasaki A, Wakabayashi G. Daikenchuto stimulates colonic motility after laparoscopic-assisted colectomy. Hepatogastroenterology, 61, 85-89, 2014. 査読有り
2. Wakabayashi G, Cherqui D, Geller DA, Han HS, Kaneko H, Buell JF. Laparoscopic hepatectomy is theoretically better than open hepatectomy: preparing for the 2nd International Consensus Conference on Laparoscopic Liver Resection. J Hepatobiliary Pancreat Sci, 21, 723-731, 2014. \* 査読有り
3. Wakabayashi G. Towards the 2nd international consensus conference on laparoscopic liver resection. J Hepatobiliary Pancreat Sci, 21, 721-722, 2014. \* 査読有り
4. Umemura A, Sasaki A, Nitta H, Otsuka K, Suto T, Wakabayashi G. Effects of changes in adipocyte hormones and visceral adipose tissue and the reduction of obesity-related comorbidities after laparoscopic sleeve gastrectomy in Japanese patients with severe obesity. Endocr J, 61, 381-391, 2014. 査読有り
5. Umemura A, Nitta H, Sasaki A, Takahara T, Hasegawa Y, Wakabayashi G. ABO-Incompatible Living Donor Liver Transplantation from Hepatitis B Core Antibody Positive Donor to Hepatitis C Liver Cirrhosis Recipient: A Case Report. Case Rep Transplant, 2014, 507621, 2014. 査読有り
6. Takahashi H, Chiba T, Tairabune T, Kimura Y, Wakabayashi G, Takahashi K, Kudo K. A retrospective study on the influence of nutritional status on pain management in cancer patients using the transdermal fentanyl patch. Biol Pharm Bull, 37, 853-857, 2014. 査読有り
7. Takahara T, Wakabayashi G, Hasegawa Y, Nitta H. Minimally Invasive Donor Hepatectomy: Evolution From Hybrid to Pure Laparoscopic Techniques. Ann Surg, 2014. \* 査読有り
8. Shioi Y, Kashiwaba M, Inaba T, Komatsu H, Sugai T, Wakabayashi G. Long-term complete remission of metastatic breast cancer, induced by a steroidal aromatase inhibitor after failure of a non-steroidal aromatase inhibitor. Am J Case Rep, 15, 85-89, 2014. 査読有り
9. Sasaki A, Wakabayashi G, Yonei Y. Current status of bariatric surgery in Japan and effectiveness in obesity and diabetes. J Gastroenterol, 49, 57-63, 2014. 査読有り
10. Sasaki A, Nitta H, Otsuka K, Fujiwara H, Takahara T, Wakabayashi G. Single-port versus multiport laparoscopic resection for gastric gastrointestinal stromal tumors: a case-matched comparison. Surg Today, 44, 1282-1286, 2014. \* 査読有り
11. Otsuka K, Itabashi T, Sasaki A, Kimura T, Kato K, Wakabayashi G. Laparoscopic-assisted Proctocolectomy With Prolapsing Technique for Familial Adenomatous Polyposis. Surg Laparosc Endosc Percutan Tech, 2014. \* 査読有り
12. Obuchi T, Shimooki O, Sasaki A, Abe T, Wakabayashi G. Serous cystadenocarcinoma of the mesentery in a man: case report and review of literature. Gastroenterol Rep (Oxf), 2014. 査読有り
13. Obuchi T, Sasaki A, Baba S, Nitta H, Otsuka K, Wakabayashi G. Single-port laparoscopic and endoscopic cooperative surgery for a gastric gastrointestinal stromal tumor: report of a case. Surg Today, 2014. \* 査読有り

14. Mitomo S, Suto T, Umemura A, Ishida K, Kanno K, Takeda D, Fujita T, Otsuka K, Nitta H, Uesugi N, Sugai T, Wakabayashi G. [Efficacy and safety of panitumumab for K-ras wild-type unresectable or recurrent colorectal cancer - a study focusing on first-line treatment]. *Gan To Kagaku Ryoho*, 41, 731-735, 2014. 査読有り
15. Makabe K, Nitta H, Takahara T, Hasegawa Y, Kanno S, Nishizuka S, Sasaki A, Wakabayashi G. Efficacy of occlusion of hepatic artery and risk of carbon dioxide gas embolism during laparoscopic hepatectomy in a pig model. *J Hepatobiliary Pancreat Sci*, 21, 592-598, 2014. \*査読有り
16. Kobayashi M, Mizuno M, Matsumoto A, Wakabayashi G. Neonatal Portal Venous Blood Flowmetry by Doppler Ultrasound for Early Diagnosis of Ischemia in Intestinal Tract. *Eur J Pediatr Surg*, 2014. 査読有り
17. Kashiwaba M, Inaba T, Komatsu H, Ishida K, Kawagishi R, Matsui Y, Uesugi N, Sugai T, Wakabayashi G. A phase I study of capecitabine combined with CPT-11 in metastatic breast cancer pretreated with anthracyclines and taxanes. *Oncology*, 86, 206-211, 2014. \* 査読有り
18. Ito N, Iwaya T, Ikeda K, Kimura Y, Akiyama Y, Konosu M, Ishida K, Fujiwara H, Otsuka K, Nitta H, Kashiwaba M, Koeda K, Nishizuka S, Mizuno M, Sasaki A, Wakabayashi G. Hyperglycemia 3 days after esophageal cancer surgery is associated with an increased risk of postoperative infection. *J Gastrointest Surg*, 18, 1547-1556, 2014. 査読有り
19. Itabashi T, Sasaki A, Otsuka K, Kimura T, Nitta H, Wakabayashi G. Potential value of sonazoid-enhanced intraoperative laparoscopic ultrasonography for liver assessment during laparoscopy-assisted colectomy. *Surg Today*, 44, 696-701, 2014. \* 査読有り
20. Imura S, Shimada M, Utsunomiya T, Morine Y, Wakabayashi G, Kaneko H. Current status of laparoscopic liver surgery in Japan: results of a multicenter Japanese experience. *Surg Today*, 44, 1214-1219, 2014. \* 査読有り
21. Hibi T, Cherqui D, Geller DA, Itano O, Kitagawa Y, Wakabayashi G. International Survey on Technical Aspects of Laparoscopic Liver resection: a web-based study on the global diffusion of laparoscopic liver surgery prior to the 2nd International Consensus Conference on Laparoscopic Liver Resection in Iwate, Japan. *J Hepatobiliary Pancreat Sci*, 21, 737-744, 2014. \* 査読有り
22. Endo F, Nishizuka SS, Kume K, Ishida K, Katagiri H, Sato K, Iwaya T, Koeda K, Wakabayashi G. A compensatory role of NF-kappaB to p53 in response to 5-FU-based chemotherapy for gastric cancer cell lines. *PLoS One*, 9, e90155, 2014. 査読有り
23. Dagher I, Gayet B, Tzanis D, Tranchart H, Fuks D, Soubrane O, Han HS, Kim KH, Cherqui D, O'Rourke N, Troisi RI, Aldrighetti L, Bjorn E, Abu Hilal M, Belli G, Kaneko H, Jarnagin WR, Lin C, Pekolj J, Buell JF, Wakabayashi G. International experience for laparoscopic major liver resection. *J Hepatobiliary Pancreat Sci*, 21, 732-736, 2014. \* 査読有り
24. Beppu T, Sakamoto Y, Hasegawa K, Honda G, Tanaka K, Kotera Y, Nitta H, Yoshidome H, Hatano E, Ueno M, Takamura H, Baba H, Kosuge T, Kokudo N, Takahashi K, Endo I, Wakabayashi G, Miyazaki M, Uemoto S, Ohta T, Kikuchi K, Takayama T, Yamaue H, Yamamoto M, Takada T. Optimal cut-off value for the number of colorectal liver metastases: a project study for hepatic surgery of the Japanese Society of Hepato-Biliary-Pancreatic Surgery. *J Hepatobiliary Pancreat Sci*, 21, 169-175, 2014. \* 査読有り
25. Ban D, Tanabe M, Ito H, Otsuka Y, Nitta H, Abe Y, Hasegawa Y, Katagiri T, Takagi C,

- Itano O, Kaneko H, Wakabayashi G. A novel difficulty scoring system for laparoscopic liver resection. *J Hepatobiliary Pancreat Sci*, 21, 745-753, 2014. \* 査読有り
26. Sekiya M, Hisasaka R, Iwamoto-Kihara A, Futai M, Nakanishi-Matsui M. A unique mechanism of curcumin inhibition on F ATPase. *Biochem Biophys Res Commun*, 2014. 査読有り
27. Nakanishi-Matsui M, Sekiya M, Yano S, Futai M. Inhibition of F1-ATPase Rotational Catalysis by the Carboxyl Terminal Domain of the Subunit. *J Biol Chem*, 2014. \* 査読有り
28. Sekiya M, Chiba E, Satoh M, Yamakoshi H, Iwabuchi Y, Futai M, Nakanishi-Matsui M. Strong inhibitory effects of curcumin and its demethoxy analog on Escherichia coli ATP synthase F1 sector. *Int J Biol Macromol*, 70, 241-245, 2014. \* 査読有り
29. Oka H, Hosokawa H, Nakanishi-Matsui M, Dunn SD, Futai M, Iwamoto-Kihara A. Elastic rotation of Escherichia coli F(O)F(1) having epsilon subunit fused with cytochrome b(562) or flavodoxin reductase. *Biochem Biophys Res Commun*, 446, 889-893, 2014. \* 査読有り
30. Matsumoto N, Daido S, Sun-Wada GH, Wada Y, Futai M, Nakanishi-Matsui M. Diversity of proton pumps in osteoclasts: V-ATPase with a3 and d2 isoforms is a major form in osteoclasts. *Biochim Biophys Acta*, 1837, 744-749, 2014. \* 査読有り
31. Sasaki Y, Nogami E, Maeda M, Nakanishi-Matsui M, Iwamoto-Kihara A. A unique F-type H(+)-ATPase from Streptococcus mutans: an active H(+) pump at acidic pH. *Biochem Biophys Res Commun*, 443, 677-682, 2014. \* 査読有り
32. Otsuki A, Otsuki T, Tokunaga H, Niikura H, Nagase S, Sugiyama T, Toyoshima M, Utsunomiya H, Yokoyama Y, Mizunuma H, Sato N, Terada Y, Shoji T, Nakahara K, Ohta T, Yamada H, Tase T, Nishiyama H, Fujimori K, Takano T, Takahashi F, Watanabe Y, Yaegashi N. Evaluation of postoperative chemotherapy in patients with uterine carcinosarcoma: a retrospective survey of the Tohoku Gynecologic Cancer Unit. *Int J Clin Oncol*, 2014. \* 査読有り
33. Shoji T, Takatori E, Miura Y, Takada A, Omi H, Kagabu M, Honda T, Miura F, Takeuchi S, Sugiyama T. Pilot study of intraperitoneal administration of triamcinolone acetone for cancerous ascites in patients with end-stage gynecological cancer. *Int J Gynecol Cancer*, 24, 1093-1097, 2014. \* 査読有り
34. Oikawa H, Maesawa C, Tatemichi Y, Nishinari Y, Nishiya M, Mizugai H, Ikeda A, Oikawa K, Takikawa Y, Masuda T. A disintegrin and metalloproteinase 17 (ADAM17) mediates epidermal growth factor receptor transactivation by angiotensin II on hepatic stellate cells. *Life Sci*, 97, 137-144, 2014. 査読有り
35. Takatori E, Shoji T, Omi H, Kagabu M, Miura F, Takeuchi S, Kumagai S, Yoshizaki A, Sato A, Sugiyama T. Analysis of prognostic factors for patients with bulky squamous cell carcinoma of the uterine cervix who underwent neoadjuvant chemotherapy followed by radical hysterectomy. *Int J Clin Oncol*, 2014. \* 査読有り
36. Kimura M, Usami E, Kanematsu T, Iwai M, Yoshimura T, Mori H, Sugiyama T, Teramachi H. Safety and continuity of second- and third-line therapy with paclitaxel or irinotecan for advanced and recurrent gastric cancer. *Mol Clin Oncol*, 2, 466-472, 2014. 査読有り
37. Ishida K, Hirose T, Yokouchi J, Oki Y, Kusumoto S, Sugiyama T, Ishida H, Shirai T, Nakashima M, Yamaoka T, Ohnishi T, Ohmori T, Kagami Y. Phase II study of concurrent chemoradiotherapy with carboplatin and vinorelbine for locally advanced non-small-cell lung cancer. *Mol Clin Oncol*, 2, 405-410, 2014. \* 査読有り

38. Yokoyama Y, Futagami M, Watanabe J, Sato N, Terada Y, Miura F, [Sugiyama T](#), Takano T, Yaegashi N, Kojimahara T, Kurachi H, Nishiyama H, Fujimori K, Tase T, Mizunuma H. Redistribution of resistance and sensitivity to platinum during the observation period following treatment of epithelial ovarian cancer. *Mol Clin Oncol*, 2, 212-218, 2014. \* 査読有り
39. [Sugiyama T](#), Fujiwara K, Ohashi Y, Yokota H, Hatae M, Ohno T, Nagai Y, Mitsunashi N, Ochiai K, Noda K. Phase III placebo-controlled double-blind randomized trial of radiotherapy for stage IIB-IVA cervical cancer with or without immunomodulator Z-100: a JGOG study. *Ann Oncol*, 25, 1011-1017, 2014. \* 査読有り
40. Takatori E, Shoji T, Miura Y, Takada A, Takeuchi S, [Sugiyama T](#). Effective use of everolimus as salvage chemotherapy for ovarian clear cell carcinoma: a case report. *Oncotargets Ther*, 7, 165-169, 2014. \* 査読有り
41. Shoji T, Takatori E, Kaido Y, Omi H, Yokoyama Y, Mizunuma H, Kaiho M, Otsuki T, Takano T, Yaegashi N, Nishiyama H, Fujimori K, [Sugiyama T](#). A phase I study of irinotecan and pegylated liposomal doxorubicin in recurrent ovarian cancer (Tohoku Gynecologic Cancer Unit 104 study). *Cancer Chemother Pharmacol*, 73, 895-901, 2014. \* 査読有り
42. Shoji T, [Sugiyama T](#). Tcathological diagnosis of surgically resected specimens. *Cancer Invest*, 32, 105-109, 2014. \* 査読有り
43. Takatori E, Shoji T, Miura Y, Takeuchi S, [Uesugi N](#), [Sugiyama T](#). Triple simultaneous primary invasive gynecological malignancies: a case report. *J Obstet Gynaecol Res*, 40, 627-631, 2014. 査読有り
44. Oku Y, Tareyanagi C, Takaya S, Osaka S, Ujiie H, Yoshida K, [Nishiya N](#), [Uehara Y](#). Multimodal effects of small molecule ROCK and LIMK inhibitors on mitosis, and their implication as anti-leukemia agents. *PLoS One*, 9, e92402, 2014. \* 査読有り
45. [Nishiya N](#), Oku Y, Kumagai Y, Sato Y, Yamaguchi E, [Sasaki A](#), Shoji M, Ohnishi Y, Okamoto H, [Uehara Y](#). A zebrafish chemical suppressor screening identifies small molecule inhibitors of the Wnt/beta-catenin pathway. *Chem Biol*, 21, 530-540, 2014. \* 査読有り
46. Miura S, [Shibazaki M](#), [Kasai S](#), Yasuhira S, Watanabe A, Inoue T, Kageshita Y, Tsunoda K, Takahashi K, Akasaka T, [Masuda T](#), [Maesawa C](#). A somatic mutation of the KEAP1 gene in malignant melanoma is involved in aberrant NRF2 activation and an increase in intrinsic drug resistance. *J Invest Dermatol*, 134, 553-556, 2014. \* 査読有り
47. Miura S, [Maesawa C](#), [Shibazaki M](#), Yasuhira S, [Kasai S](#), Tsunoda K, Maeda F, Takahashi K, Akasaka T, [Masuda T](#). Immunohistochemistry for histone h3 lysine 9 methyltransferase and demethylase proteins in human melanomas. *Am J Dermatopathol*, 36, 211-216, 2014. \* 査読有り
48. Tahara T, Yamamoto E, Suzuki H, Maruyama R, Chung W, Garriga J, Jelinek J, Yamano HO, [Sugai T](#), An B, Shureiqi I, Toyota M, Kondo Y, Estecio MR, Issa JP. Fusobacterium in colonic flora and molecular features of colorectal carcinoma. *Cancer Res*, 74, 1311-1318, 2014. \* 査読有り
49. Tahara T, Yamamoto E, Madireddi P, Suzuki H, Maruyama R, Chung W, Garriga J, Jelinek J, Yamano HO, [Sugai T](#), Kondo Y, Toyota M, Issa JP, Estecio MR. Colorectal carcinomas with CpG island methylator phenotype 1 frequently contain mutations in chromatin regulators. *Gastroenterology*, 146, 530-538 e535, 2014. \* 査読有り
50. Kawasaki T, Bussolati G, [Sugai T](#), Sapino A. A rare case of breast cancer showing distinct

- TTF-1 nuclear expression: small cell carcinoma or not? *Histopathology*, 2014. 査読有り
51. Harada T, Yamamoto E, Yamano HO, Nojima M, Maruyama R, Kumegawa K, Ashida M, Yoshikawa K, Kimura T, Harada E, Takagi R, Tanaka Y, Aoki H, Nishizono M, Nakaoka M, Tsuyada A, Niinuma T, Kai M, Shimoda K, Shinomura Y, Sugai T, Imai K, Suzuki H. Analysis of DNA Methylation in Bowel Lavage Fluid for Detection of Colorectal Cancer. *Cancer Prev Res (Phila)*, 2014. 査読有り
  52. Takada K, Obayashi K, Ohashi K, Ohashi-Kobayashi A, Nakanishi-Matsui M, Maeda M. Amino-terminal extension of 146 residues of L-type GATA-6 is required for transcriptional activation but not for self-association. *Biochem Biophys Res Commun*, 2014. 査読有り
  53. Takatori E, Shoji T, Suga Y, Niinuma H, Miura Y, Kaido Y, Takada A, Kagabu M, Takeuchi S, Sugiyama T. A pilot study of oxaliplatin with oral S-1 as second-line chemotherapy for patients with recurrent adenocarcinoma of the uterine cervix. *Int J Clin Oncol*, 19, 336-340, 2014. \* 査読有り
  54. Miyashita M, Sadzuka Y. Improvements of doxorubicin-induced antitumor activity and adverse reaction by combined citrulline. *Biol Pharm Bull*, 37, 447-453, 2014. \* 査読有り
  55. Akbani R, Becker KF, Carragher N, Goldstein T, de Koning L, Korf U, Liotta L, Mills GB, Nishizuka SS, Pawlak M, Petricoin EF, 3rd, Pollard HB, Serrels B, Zhu J. Realizing the promise of reverse phase protein arrays for clinical, translational, and basic research: a workshop report: the RPPA (Reverse Phase Protein Array) society. *Mol Cell Proteomics*, 13, 1625-1643, 2014. 査読有り
  56. Umemura A, Nitta H, Sasaki A, Takahara T, Hasegawa Y, Wakabayashi G. Pure laparoscopic posterior sectionectomy for liver metastasis resulting from choroidal malignant melanoma: a case report. *Asian J Endosc Surg*, 6, 318-321, 2013. \* 査読有り
  57. Takeda D, Nitta H, Takahara T, Hasegawa Y, Itou N, Wakabayashi G. Effect of preoperative chemotherapy on postoperative liver regeneration following hepatic resection as estimated by liver volume. *World J Surg Oncol*, 11, 65, 2013. 査読有り
  58. Takahashi M, Wakabayashi G, Nitta H, Takeda D, Hasegawa Y, Takahara T, Ito N. Pure laparoscopic right hepatectomy by anterior approach with hanging maneuver for large intrahepatic cholangiocarcinoma. *Surg Endosc*, 27, 4732-4733, 2013. 査読有り
  59. Sasaki A, Nitta H, Otsuka K, Nishizuka S, Baba S, Umemura A, Koeda K, Mizuno M, Wakabayashi G. Laparoendoscopic single site adrenalectomy: initial results of cosmetic satisfaction and the potential for postoperative pain reduction. *BMC Urol*, 13, 21, 2013. \* 査読有り
  60. Nitta H, Sasaki A, Otsuka Y, Tsuchiya M, Kaneko H, Wakabayashi G. Impact of hybrid techniques on laparoscopic major hepatectomies. *J Hepatobiliary Pancreat Sci*, 20, 111-113, 2013. 査読有り
  61. Mitomo S, Takahara T, Nitta H, Fujita T, Ito N, Uesugi N, Sugai T, Wakabayashi G. Sunitinib treatment enabling resection of massive liver metastasis: a case report. *J Med Case Rep*, 7, 234, 2013. 査読有り
  62. Matsuo T, Nishizuka SS, Ishida K, Endo F, Katagiri H, Kume K, Ikeda M, Koeda K, Wakabayashi G. Evaluation of chemosensitivity prediction using quantitative dose-response curve classification for highly advanced/relapsed gastric cancer. *World J Surg Oncol*, 11, 11, 2013. \* 査読有り
  63. Lin NC, Nitta H, Wakabayashi G. Laparoscopic major hepatectomy: a systematic literature review and comparison of 3 techniques. *Ann Surg*, 257, 205-213, 2013. \* 査読有り
  64. Iwaya T, Fukagawa T, Suzuki Y, Takahashi Y, Sawada G, Ishibashi M, Kurashige J, Sudo

- T, Tanaka F, Shibata K, Endo F, Katagiri H, Ishida K, Kume K, Nishizuka S, Iinuma H, Wakabayashi G, Mori M, Sasako M, Mimori K. Contrasting expression patterns of histone mRNA and microRNA 760 in patients with gastric cancer. *Clin Cancer Res*, 19, 6438-6449, 2013. \* 査読有り
65. Ito N, Sugitachi A, Takahashi M, Makabe K, Kanno S, Hasegawa Y, Takahara T, Fujita T, Nishizuka S, Nitta H, Wakabayashi G. [Photodynamic diagnosis and preoperative chemotherapy for biliary tract cancer]. *Gan To Kagaku Ryoho*, 40, 1641-1643, 2013. 査読有り
66. Ishibashi M, Kogo R, Shibata K, Ueo H, Uchi R, Matsumura T, Takano Y, Sawada G, Takahashi Y, Mima K, Kurashige J, Akiyoshi S, Iwaya T, Eguchi H, Sudo T, Sugimachi K, Suzuki A, Wakabayashi G, Mori M, Mimori K. Clinical significance of PICT1 in patients of hepatocellular carcinoma with wild-type TP53. *Ann Surg Oncol*, 20 Suppl 3, S537-544, 2013. \* 査読有り
67. Ishibashi M, Kogo R, Shibata K, Sawada G, Takahashi Y, Kurashige J, Akiyoshi S, Sasaki S, Iwaya T, Sudo T, Sugimachi K, Mimori K, Wakabayashi G, Mori M. Clinical significance of the expression of long non-coding RNA HOTAIR in primary hepatocellular carcinoma. *Oncol Rep*, 29, 946-950, 2013. \* 査読有り
68. Ho CM, Wakabayashi G, Nitta H, Takahashi M, Takahara T, Ito N, Hasegawa Y. Total laparoscopic limited anatomical resection for centrally located hepatocellular carcinoma in cirrhotic liver. *Surg Endosc*, 27, 1820-1825, 2013. \* 査読有り
69. Ho CM, Wakabayashi G, Nitta H, Ito N, Hasegawa Y, Takahara T. Systematic review of robotic liver resection. *Surg Endosc*, 27, 732-739, 2013. \* 査読有り
70. Hasegawa Y, Sasaki A, Nitta H, Wakabayashi G. Two-stage surgery in a morbidly obese patient: laparoscopic pylorus-preserving pancreaticoduodenectomy after laparoscopic sleeve gastrectomy. *Surg Obes Relat Dis*, 9, e101-104, 2013. 査読有り
71. Hasegawa Y, Nitta H, Sasaki A, Takahara T, Ito N, Fujita T, Kanno S, Nishizuka S, Wakabayashi G. Laparoscopic left lateral sectionectomy as a training procedure for surgeons learning laparoscopic hepatectomy. *J Hepatobiliary Pancreat Sci*, 20, 525-530, 2013. 査読有り
72. Buell JF, Gayet B, Han HS, Wakabayashi G, Kim KH, Belli G, Cannon R, Saggi B, Keneko H, Koffron A, Brock G, Dagher I. Evaluation of stapler hepatectomy during a laparoscopic liver resection. *HPB (Oxford)*, 2013. 査読有り
73. Belli G, Gayet B, Han HS, Wakabayashi G, Kim KH, Cannon R, Kaneko H, Gamblin T, Koffron A, Dagher I, Buell JF. Laparoscopic left hemihepatectomy a consideration for acceptance as standard of care. *Surg Endosc*, 27, 2721-2726, 2013. 査読有り
74. Okamoto-Terry H, Umeki K, Nakanishi-Matsui M, Futai M. Glu-44 in the amino-terminal alpha-helix of yeast vacuolar ATPase E subunit (Vma4p) has a role for VoV1 assembly. *J Biol Chem*, 288, 36236-36243, 2013. 査読有り
75. Nakanishi-Matsui M, Yano S, Futai M. Lipopolysaccharide-induced multinuclear cells: increased internalization of polystyrene beads and possible signals for cell fusion. *Biochem Biophys Res Commun*, 440, 611-616, 2013. \* 査読有り
76. Nakanishi-Matsui M, Sekiya M, Futai M. Rotating proton pumping ATPases: subunit/subunit interactions and thermodynamics. *IUBMB Life*, 65, 247-254, 2013. \* 査読有り
77. Shimada M, Nishimura R, Nogawa T, Hatae M, Takehara K, Yamada H, Kurachi H, Yokoyama Y, Sugiyama T, Kigawa J. Comparison of the outcome between cervical

- adenocarcinoma and squamous cell carcinoma patients with adjuvant radiotherapy following radical surgery: SGSG/TGCU Intergroup Surveillance. *Mol Clin Oncol*, 1, 780-784, 2013. \* 査読有り
78. Bilyard T, Nakanishi-Matsui M, Steel BC, Pilizota T, Nord AL, Hosokawa H, Futai M, Berry RM. High-resolution single-molecule characterization of the enzymatic states in *Escherichia coli* F1-ATPase. *Philos Trans R Soc Lond B Biol Sci*, 368, 20120023, 2013. 査読有り
79. Sugiyama I, Sadzuka Y. Enhanced antitumor activity of different double arms polyethyleneglycol-modified liposomal doxorubicin. *Int J Pharm*, 441, 279-284, 2013. \* 査読有り
80. Sugiyama I, Sadzuka Y. Change in the character of liposomes as a drug carrier by modifying various polyethyleneglycol-lipids. *Biol Pharm Bull*, 36, 900-906, 2013. \* 査読有り
81. Sadzuka Y. Polyethyleneglycol: a classical but innovative material. Foreword. *Biol Pharm Bull*, 36, 877, 2013. \* 査読有り
82. Miyashita M, Sadzuka Y. Effect of linalool as a component of *Humulus lupulus* on doxorubicin-induced antitumor activity. *Food Chem Toxicol*, 53, 174-179, 2013. 査読有り
83. Tanaka AR, Noguchi K, Fukazawa H, Igarashi Y, Arai H, Uehara Y. p38MAPK and Rho-dependent kinase are involved in anoikis induced by anicequol or 25-hydroxycholesterol in DLD-1 colon cancer cells. *Biochem Biophys Res Commun*, 430, 1240-1245, 2013. \* 査読有り
84. Watanabe A, Yasuhira S, Inoue T, Kasai S, Shibazaki M, Takahashi K, Akasaka T, Masuda T, Maesawa C. BCL2 and BCLxL are key determinants of resistance to antitubulin chemotherapeutics in melanoma cells. *Exp Dermatol*, 22, 518-523, 2013. \* 査読有り
85. Sakurai E, Satoh T, Akiko YA, Maesawa C, Tsunoda K, Endo M, Akasaka T, Masuda T. Subcutaneous panniculitis-like T-cell lymphoma (SPTCL) with hemophagocytosis (HPS): successful treatment using high-dose chemotherapy (BFM-NHL & ALL-90) and autologous peripheral blood stem cell transplantation. *J Clin Exp Hematop*, 53, 135-140, 2013. 査読有り
86. Terashima J, Tachikawa C, Kudo K, Habano W, Ozawa S. An aryl hydrocarbon receptor induces VEGF expression through ATF4 under glucose deprivation in HepG2. *BMC Mol Biol*, 14, 27, 2013. 査読有り
87. Nemoto K, Ikeda A, Tanaka T, Inoue K, Yoshida M, Nishikawa A, Gamou T, Habano W, Ozawa S, Degawa M. Change in the gene expression of the N-methyl-D-aspartate receptor 2C subunit by dietary beta-naphthoflavone, indole-3-carbinol, or acetaminophen in the rat liver. *J Toxicol Sci*, 38, 611-617, 2013. 査読有り
88. Tsunoda K, Takahashi K, Maeda F, Oikawa H, Akasaka T. A case of atypical fibrous histiocytoma with positivity for CD163 and CD44. *Acta Derm Venereol*, 93, 737-738, 2013. 査読有り
89. Nakanishi-Matsui M, Yano S, Matsumoto N, Futai M. Lipopolysaccharide induces multinuclear cell from RAW264.7 line with increased phagocytosis activity. *Biochem Biophys Res Commun*, 425, 144-149, 2012. \* 査読有り
90. Sekiya M, Nakamoto RK, Nakanishi-Matsui M, Futai M. Binding of phytopolyphenol piceatannol disrupts beta/gamma subunit interactions and rate-limiting step of steady-state rotational catalysis in *Escherichia coli* F1-ATPase. *J Biol Chem*, 287, 22771-22780, 2012.

査読有り

91. Sasaki A, Baba S, Obuchi T, Umemura A, Mizuno M, Wakabayashi G. Single-port laparoscopic adrenalectomy for a right-sided aldosterone-producing adenoma: a case report. *J Med Case Rep*, 6, 208, 2012. 査読有り
92. Takahara T, Nitta H, Hasegawa Y, Itou N, Takahashi M, Nishizuka S, Wakabayashi G. A phase I study for adjuvant chemotherapy of gemcitabine plus S-1 in curatively resected patients with biliary tract cancer: adjusting the dose of adjuvant chemotherapy according to the surgical procedures. *Cancer Chemother Pharmacol*, 69, 1127-1133, 2012. 査読有り
93. Beppu T, Sakamoto Y, Hasegawa K, Honda G, Tanaka K, Kotera Y, Nitta H, Yoshidome H, Hatano E, Ueno M, Takamura H, Baba H, Kosuge T, Kokudo N, Takahashi K, Endo I, Wakabayashi G, Miyazaki M, Uemoto S, Ohta T, Kikuchi K, Yamaue H, Yamamoto M, Takada T. A nomogram predicting disease-free survival in patients with colorectal liver metastases treated with hepatic resection: multicenter data collection as a Project Study for Hepatic Surgery of the Japanese Society of Hepato-Biliary-Pancreatic Surgery. *J Hepatobiliary Pancreat Sci*, 19, 72-84, 2012. 査読有り
94. Shibazaki M, Maesawa C, Akasaka K, Kasai S, Yasuhira S, Kanno K, Nakayama I, Sugiyama T, Wakabayashi G, Masuda T, Mori N. Transcriptional and post-transcriptional regulation of betaIII-tubulin protein expression in relation with cell cycle-dependent regulation of tumor cells. *Int J Oncol*, 40, 695-702, 2012. \* 査読有り
95. Mizuno M, Kobayashi M, Sasaki A, Nakajima J, Wakabayashi G. Early experience with single-incision laparoscopic Nissen fundoplication for gastroesophageal reflux disease in patients with mental retardation via a gastrostomy site incision: report of five cases. *Surg Today*, 42, 601-604, 2012. 査読有り
96. Shinoda M, Tanabe M, Kawachi S, Ono Y, Hayakawa T, Iketani O, Kojima M, Itano O, Obara H, Kitago M, Hibi T, Matsubara K, Shimojima N, Fuchimoto Y, Hoshino K, Wakabayashi G, Shimazu M, Tanigawara Y, Kuroda T, Morikawa Y, Kitajima M, Kitagawa Y. Pharmacokinetics of mizoribine in adult living donor liver transplantation. *Transplant Proc*, 44, 1329-1335, 2012. 査読有り
97. Ishida K, Nishizuka SS, Chiba T, Ikeda M, Kume K, Endo F, Katagiri H, Matsuo T, Noda H, Iwaya T, Yamada N, Fujiwara H, Takahashi M, Itabashi T, Uesugi N, Maesawa C, Tamura G, Sugai T, Otsuka K, Koeda K, Wakabayashi G. Molecular marker identification for relapse prediction in 5-FU-based adjuvant chemotherapy in gastric and colorectal cancers. *PLoS One*, 7, e43236, 2012. \* 査読有り
98. Katagiri H, Sasaki A, Nitta H, Takahara T, Nishizuka S, Wakabayashi G. Totally laparoscopic stapled distal pancreatectomy. *Surg Today*, 42, 940-944, 2012. \* 査読有り
99. Futai M, Nakanishi-Matsui M, Okamoto H, Sekiya M, Nakamoto RK. Rotational catalysis in proton pumping ATPases: from E. coli F-ATPase to mammalian V-ATPase. *Biochim Biophys Acta*, 1817, 1711-1721, 2012. 査読有り
100. Watanabe M, Abe N, Oshikiri Y, Stanbridge EJ, Kitagawa T. Selective growth inhibition by glycogen synthase kinase-3 inhibitors in tumorigenic HeLa hybrid cells is mediated through NF-kappaB-dependent GLUT3 expression. *Oncogenesis*, 1, e21, 2012. \* 査読有り
101. Kanno K, Kanno S, Nitta H, Uesugi N, Sugai T, Masuda T, Wakabayashi G, Maesawa C. Overexpression of histone deacetylase 6 contributes to accelerated migration and invasion activity of hepatocellular carcinoma cells. *Oncol Rep*, 28, 867-873, 2012. 査読有り
102. Fujiwara K, Aotani E, Hamano T, Nagao S, Yoshikawa H, Sugiyama T, Kigawa J, Aoki D, Katsumata N, Takeuchi M, Suzuki M. A randomized Phase II/III trial of 3 weekly

- intraperitoneal versus intravenous carboplatin in combination with intravenous weekly dose-dense paclitaxel for newly diagnosed ovarian, fallopian tube and primary peritoneal cancer. *Jpn J Clin Oncol*, 41, 278-282, 2011. 査読有り
103. Yamamoto S, Tsuda H, Shimazaki H, Takano M, Yoshikawa T, Kuzuya K, Kurachi H, Kigawa J, Kikuchi Y, Sugiyama T, Matsubara O. Clear cell adenocarcinoma with a component of poorly differentiated histology: a poor prognostic subgroup of ovarian clear cell adenocarcinoma. *Int J Gynecol Pathol*, 30, 431-441, 2011. 査読有り
104. Haba G, Nishigori H, Tezuka Y, Kagami K, Sugiyama T. Effect of antithyroid drug on chick embryos during the last week of development: delayed hatching and decreased cerebellar acetylcholinesterase activity. *J Obstet Gynaecol Res*, 37, 1549-1556, 2011. \* 査読有り
105. Shoji T, Takatori E, Omi H, Kumagai S, Yoshizaki A, Yokoyama Y, Mizunuma H, Fujimoto T, Takano T, Yaegashi N, Tase T, Nakahara K, Kurachi H, Nishiyama H, Sugiyama T. Phase II clinical study of the combination chemotherapy regimen of irinotecan plus oral etoposide for the treatment of recurrent ovarian cancer (Tohoku Gynecologic Cancer Unit 101 Group Study). *Int J Gynecol Cancer*, 21, 44-50, 2011. \* 査読有り
106. Kojimahara T, Nakahara K, Shoji T, Sugiyama T, Takano T, Yaegashi N, Yokoyama Y, Mizunuma H, Tase R, Satou H, Tanaka T, Motoyama T, Kurachi H. Identifying prognostic factors in Japanese women with pseudomyxoma peritonei: a retrospective clinico-pathological study of the Tohoku Gynecologic Cancer Unit. *Tohoku J Exp Med*, 223, 91-96, 2011. \* 査読有り
107. Kumagai S, Sugiyama T, Shoji T, Michimae H, Katsumata N, Aoki D, Terauchi F, Jobo T, Ochiai K, Yasuda M. Does severe anemia caused by dose-dense paclitaxel-Carboplatin combination therapy have an effect on the survival of patients with epithelial ovarian cancer? Retrospective analysis of the Japanese gynecologic oncology group 3016 trial. *Int J Gynecol Cancer*, 21, 1585-1591, 2011. \* 査読有り
108. Sasaki A, Koeda K, Nakajima J, Obuchi T, Baba S, Wakabayashi G: Single-incision laparoscopic gastric resection for submucosal tumors: report of three cases, *Surgery Today*, 41(1), 133-136, 2011. 査読有り
109. Fukuzawa T, Mizuno M, Nakajima J, Nishizuka S, Kimura Y, Otsuka K, Nitta H, Kashiwaba M, Koeda K, Sasaki A, Wakabayashi G. Laparoscopy-assisted appendectomy through an umbilical port in children. *Asian J Endosc Surg*, 4, 11-15, 2011. 査読有り
110. Habano W, Gamo T, Terashima J, Sugai T, Otsuka K, Wakabayashi G, Ozawa S. Involvement of promoter methylation in the regulation of Pregnane X receptor in colon cancer cells. *BMC Cancer*, 11, 81, 2011. 査読有り
111. Matsuo T, Nishizuka SS, Ishida K, Iwaya T, Ikeda M, Wakabayashi G. Analysis of the anti-tumor effect of cetuximab using protein kinetics and mouse xenograft models. *BMC Res Notes*, 4, 140, 2011. 査読有り
112. Takahashi G, Sato N, Matsumoto N, Shozushima T, Hoshikawa K, Akitomi S, Kikkawa T, Onodera C, Kojika M, Inoue Y, Suzuki K, Wakabayashi G, Endo S. Preliminary study on glucose control with an artificial pancreas in postoperative sepsis patients. *Eur Surg Res*, 47, 32-38, 2011. 査読有り
113. Ohta M, Kitano S, Kasama K, Kawamura I, Inamine S, Wakabayashi G, Tani T, Kuwano H, Doki Y, Atomi Y, Kitajima M. Results of a national survey on laparoscopic bariatric surgery in Japan, 2000-2009. *Asian J Endosc Surg*, 4, 138-142, 2011. 査読有り
114. Wakabayashi G, Sasaki A, Nishizuka S, Furukawa T, Kitajima M. Our initial experience

- with robotic hepato-biliary-pancreatic surgery. *J Hepatobiliary Pancreat Sci*, 18, 481-487, 2011. \* 査読有り
115. Koeda K, Nishizuka S, Wakabayashi G. Minimally invasive surgery for gastric cancer: the future standard of care. *World J Surg*, 35, 1469-1477, 2011. 査読有り
116. Oyama K, Sasaki A, Chiba T, Nitta H, Otsuka K, Wakabayashi G. Single-incision laparoscopic splenectomy for idiopathic thrombocytopenic purpura: report of a case. *Surg Today*, 41, 1091-1094, 2011. 査読有り
117. Shimabuku M, Sasaki A, Higa M, Kakazu M, Asato M, Shiroma H. Single-incision laparoscopic adrenalectomy for primary aldosteronism: report of a case. *Surg Today*, 41, 1306-1309, 2011. 査読有り
118. Takahashi G, Hoshikawa K, Matsumoto N, Shozushima T, Onodera C, Kan S, Akitomi S, Kikkawa T, Tomisawa Y, Kojika M, Sato N, Inoue Y, Suzuki K, Wakabayashi G, Endo S. Changes in serum S100A12 and sRAGE associated with improvement of the PaO(2)/FiO(2) ratio following PMX-DHP therapy for postoperative septic shock. *Eur Surg Res*, 47, 135-140, 2011. 査読有り
119. Takahara T, Nitta H, Hasegawa Y, Ito N, Takahashi M, Wakabayashi G. Using sorafenib for recurrent hepatocellular carcinoma after liver transplantation--interactions between calcineurin inhibitor: two case reports. *Transplant Proc*, 43, 2800-2805, 2011. 査読有り
120. Xing F, Okuda H, Watabe M, Kobayashi A, Pai SK, Liu W, Pandey PR, Fukuda K, Hirota S, Sugai T, Wakabayashi G, Koeda K, Kashiwaba M, Suzuki K, Chiba T, Endo M, Mo YY, Watabe K. Hypoxia-induced Jagged2 promotes breast cancer metastasis and self-renewal of cancer stem-like cells. *Oncogene*, 30, 4075-4086, 2011. \* 査読有り
121. Sasaki R, Kondo T, Oda T, Murata S, Wakabayashi G, Ohkohchi N. Impact of three-dimensional analysis of multidetector row computed tomography cholangioportography in operative planning for hilar cholangiocarcinoma. *Am J Surg*, 202, 441-448, 2011. 査読有り
122. Nakajima J, Sasaki A, Obuchi T, Baba S, Umemura A, Wakabayashi G. Single-incision laparoscopic Heller myotomy and Dor fundoplication for achalasia: report of a case. *Surg Today*, 41, 1543-1547, 2011. \* 査読有り
123. Pandey PR, Okuda H, Watabe M, Pai SK, Liu W, Kobayashi A, Xing F, Fukuda K, Hirota S, Sugai T, Wakabayashi G, Koeda K, Kashiwaba M, Suzuki K, Chiba T, Endo M, Fujioka T, Tanji S, Mo YY, Cao D, Wilber AC, Watabe K. Resveratrol suppresses growth of cancer stem-like cells by inhibiting fatty acid synthase. *Breast Cancer Res Treat*, 130, 387-398, 2011. 査読有り
124. Kobayashi M, Mizuno M, Sasaki A, Arisue A, Akiyama S, Wakabayashi G. Single-port laparoscopic Heller myotomy and Dor fundoplication: initial experience with a new approach for the treatment of pediatric achalasia. *J Pediatr Surg*, 46, 2200-2203, 2011. 査読有り
125. Nakajima K, Kanno Y, Nakamura M, Gao XD, Kawamura A, Itoh F, Ishisaki A. Bovine milk lactoferrin induces synthesis of the angiogenic factors VEGF and FGF2 in osteoblasts via the p44/p42 MAP kinase pathway. *Biometals*, 24, 847-856, 2011. \* 査読有り
126. Onodera S, Chiba T, Sugai T, Habano W. A genetic association between ss3-adenoreceptor and cholinergic receptor muscarinic 3 polymorphisms in irritable bowel syndrome. *Hepatogastroenterology*, 58, 1474-1478, 2011. 査読有り
127. Kamimae S, Yamamoto E, Yamano HO, Nojima M, Suzuki H, Ashida M, Hatahira T, Sato A, Kimura T, Yoshikawa K, Harada T, Hayashi S, Takamaru H, Maruyama R, Kai M,

- Nishiwaki M, [Sugai T](#), Sasaki Y, Tokino T, Shinomura Y, Imai K, Toyota M. Epigenetic alteration of DNA in mucosal wash fluid predicts invasiveness of colorectal tumors. *Cancer Prev Res (Phila)*, 4, 674-683, 2011. \* 査読有り
128. Nakamura Y, Nagashima H, Akiyama M, Sato A, Miyamoto T, Sasaki N, Nitani H, Kowata K, Nakadate T, Kobayashi H, [Uesugi N](#), [Sugai T](#), Kakiuchi T, Inoue H, Yamauchi K. Novel ribbon-type nuclear factor of activated T cells decoy oligodeoxynucleotides preclude airways hyperreactivity and Th2 cytokine expression in experimental asthma. *Int Arch Allergy Immunol*, 155, 129-140, 2011. 査読有り
129. Liu W, Iizumi-Gairani M, Okuda H, Kobayashi A, Watabe M, Pai SK, Pandey PR, Xing F, Fukuda K, Modur V, Hirota S, [Suzuki K](#), Chiba T, Endo M, [Sugai T](#), Watabe K. KAI1 gene is engaged in NDRG1 gene-mediated metastasis suppression through the ATF3-NFkappaB complex in human prostate cancer. *J Biol Chem*, 286, 18949-18959, 2011. \* 査読有り
130. Xing F, Okuda H, Watabe M, Kobayashi A, Pai SK, Liu W, Pandey PR, Fukuda K, Hirota S, [Sugai T](#), Wakabayashi G, Koeda K, Kashiwaba M, [Suzuki K](#), Chiba T, Endo M, Mo YY, Watabe K. Hypoxia-induced Jagged2 promotes breast cancer metastasis and self-renewal of cancer stem-like cells. *Oncogene*, 30, 4075-4086, 2011. \* 査読有り
131. Obuchi T, [Sasaki A](#), Nitta H, Koeda K, Ikeda K, [Wakabayashi G](#). Minimally invasive surgical enucleation for esophageal leiomyoma: report of seven cases. *Dis Esophagus*, 23, E1-4, 2010. 査読有り
132. Reinhold WC, Reimers MA, Lorenzi P, Ho J, Shankavaram UT, Ziegler MS, Bussey KJ, [Nishizuka S](#), Ikediobi O, Pommier YG, Weinstein JN. Multifactorial regulation of E-cadherin expression: an integrative study. *Mol Cancer Ther*, 9, 1-16, 2010. \* 査読有り
133. Nakajima J, [Sasaki A](#), Otsuka K, Obuchi T, [Nishizuka S](#), [Wakabayashi G](#). Risk factors for early postoperative small bowel obstruction after colectomy for colorectal cancer. *World J Surg*, 34, 1086-1090, 2010. 査読有り
134. [Sasaki A](#), Suto T, Nitta H, Shimooki O, Obuchi T, [Wakabayashi G](#). Laparoscopic excision of retroperitoneal tumors: report of three cases. *Surg Today*, 40, 176-180, 2010. 査読有り
135. Nitta H, [Sasaki A](#), Fujita T, Itabashi H, Hoshikawa K, Takahara T, Takahashi M, [Nishizuka S](#), [Wakabayashi G](#). Laparoscopy-assisted major liver resections employing a hanging technique: the original procedure. *Ann Surg*, 251, 450-453, 2010. 査読有り
136. [Sasaki A](#), Nitta H, Otsuka K, Kimura Y, Obuchi T, [Wakabayashi G](#). Concomitant laparoscopic splenectomy and cholecystectomy. *Surg Laparosc Endosc Percutan Tech*, 20, 66-68, 2010. 査読有り
137. [Sasaki A](#), Koeda K, Obuchi T, Nakajima J, [Nishizuka S](#), Terashima M, [Wakabayashi G](#). Tailored laparoscopic resection for suspected gastric gastrointestinal stromal tumors. *Surgery*, 147, 516-520, 2010. 査読有り
138. Takahashi G, Sato N, Yaegashi Y, Kojika M, Matsumoto N, Kikkawa T, Shozushima T, Akitomi S, Aoki K, Ito N, Hoshikawa K, Suzuki Y, Inoue Y, [Wakabayashi G](#), Endo S. Effect of linezolid on cytokine production capacity and plasma endotoxin levels in response to lipopolysaccharide stimulation of whole blood. *J Infect Chemother*, 16, 94-99, 2010. \* 査読有り
139. [Sasaki A](#), Obuchi T, Nakajima J, Kimura Y, Koeda K, [Wakabayashi G](#). Laparoscopic Heller myotomy with Dor fundoplication for achalasia: long-term outcomes and effect on chest pain. *Dis Esophagus*, 23, 284-289, 2010. 査読有り
140. [Sugai T](#), [Habano W](#), Jiao YF, Toyota M, Suzuki H, Tsukahara M, Koizuka H, Akasaka R,

- Koeda K, [Wakabayashi G](#), [Suzuki K](#). Molecular analysis of single isolated glands in gastric cancers and their surrounding gastric intestinal metaplastic mucosa. *Oncol Rep*, 23, 25-33, 2010. \*査読有り
141. Shioi Y, Hasegawa T, Otsuka K, Fujisawa K, Itabashi T, Kimura T, [Wakabayashi G](#), Mue Y, [Uesugi N](#), [Sugai T](#). Primary retroperitoneal spindle cell liposarcoma: pathological and immunohistochemical findings. *Pathol Int*, 60, 472-476, 2010. 査読有り
142. Kikkawa T, Sato N, Kojika M, Takahashi G, Aoki K, Hoshikawa K, Akitomi S, Shozushima T, [Suzuki K](#), [Wakabayashi G](#), Endo S. Significance of measuring S100A12 and sRAGE in the serum of sepsis patients with postoperative acute lung injury. *Dig Surg*, 27, 307-312, 2010. 査読有り
143. Sato H, Nakamura S, [Habano W](#), [Wakabayashi G](#), Adachi Y. Human intestinal spirochaetosis in northern Japan. *J Med Microbiol*, 59, 791-796, 2010. 査読有り
144. Sasaki R, Murata S, Oda T, Ohkohchi N, [Takeda Y](#), [Wakabayashi G](#). Evaluation of UICC-TNM and JSBS staging systems for surgical patients with extrahepatic cholangiocarcinoma. *Langenbecks Arch Surg*, 395, 615-623, 2010. 査読有り
145. Tanabe M, Kawachi S, Obara H, Shinoda M, Hibi T, Kitagawa Y, [Wakabayashi G](#), Shimazu M, Kitajima M. Current progress in ABO-incompatible liver transplantation. *Eur J Clin Invest*, 40, 943-949, 2010. 査読有り
146. [Sugai T](#), [Habano W](#), Endoh M, Konishi Y, Akasaka R, Toyota M, Yamano H, Koeda K, [Wakabayashi G](#), [Suzuki K](#). Molecular analysis of gastric differentiated-type intramucosal and submucosal cancers. *Int J Cancer*, 127, 2500-2509, 2010. \* 査読有り
147. Sekiya M, Hosokawa H, [Nakanishi-Matsui M](#), Al-Shawi MK, Nakamoto RK, [Futai M](#). Single molecule behavior of inhibited and active states of Escherichia coli ATP synthase F1 rotation. *J Biol Chem*, 285, 42058-42067, 2010. 査読有り
148. [Nakanishi-Matsui M](#), Kashiwagi S, Kojima M, [Nonaka T](#), [Futai M](#). Roles of the beta subunit hinge domain in ATP synthase F(1) sector: hydrophobic network formed by introduced betaPhe174 inhibits subunit rotation. *Biochem Biophys Res Commun*, 395, 173-177, 2010. \* 査読有り
149. [Nakanishi-Matsui M](#), Sekiya M, Nakamoto RK, [Futai M](#). The mechanism of rotating proton pumping ATPases. *Biochim Biophys Acta*, 1797, 1343-1352, 2010. 査読有り
150. Watanabe M, Naraba H, Sakyō T, [Kitagawa T](#). DNA damage-induced modulation of GLUT3 expression is mediated through p53-independent extracellular signal-regulated kinase signaling in HeLa cells. *Mol Cancer Res*, 8, 1547-1557, 2010. \* 査読有り
151. Watanabe M, Naraba H, Sakyō T, [Kitagawa T](#). DNA damage-induced modulation of GLUT3 expression is mediated through p53-independent extracellular signal-regulated kinase signaling in HeLa cells. *Mol Cancer Res*, 8, 1547-1557, 2010. 査読有り
152. Shoji T, Takatori E, Hatayama S, Omi H, [Kagabu M](#), Honda T, Kumagai S, Morohara Y, Miura F, Yoshizaki A, [Sugiyama T](#). Phase II study of tri-weekly cisplatin and irinotecan as neoadjuvant chemotherapy for locally advanced cervical cancer. *Oncol Lett*, 1, 515-519, 2010. \* 査読有り
153. Shoji T, Takatori E, Kaido Y, Kumagai S, Takeuchi S, Yoshizaki A, [Sugiyama T](#). Usefulness of desensitization protocol for a carboplatin hypersensitivity reaction during docetaxel-carboplatin therapy for recurrent ovarian cancer: Case report. *Oncol Lett*, 1, 1021-1023, 2010. 査読有り
154. Ikeda M, Kurose A, Takatori E, [Sugiyama T](#), Traganos F, Darzynkiewicz Z, Sawai T. DNA damage detected with gammaH2AX in endometrioid adenocarcinoma cell lines. *Int J*

- Oncol, 36, 1081-1088, 2010. 査読有り
155. Yamate S, Nishigori H, Kishimoto S, Tezuka Y, Fukushima A, Sugiyama T. Effects of glucocorticoid on brain acetylcholinesterase of developing chick embryos. J Obstet Gynaecol Res, 36, 11-18, 2010. 査読有り
156. Takakura S, Takano M, Takahashi F, Saito T, Aoki D, Inaba N, Noda K, Sugiyama T, Ochiai K. Randomized phase II trial of paclitaxel plus carboplatin therapy versus irinotecan plus cisplatin therapy as first-line chemotherapy for clear cell adenocarcinoma of the ovary: a JGOG study. Int J Gynecol Cancer, 20, 240-247, 2010. 査読有り
157. Tsuda H, Ito K, Yaegashi N, Hirasawa A, Sudo T, Kita T, Terai Y, Kigawa J, Sugiyama T, Aoki D. Relationship between ABCF2 expression and response to chemotherapy or prognosis in clear cell adenocarcinoma of the ovary. Int J Gynecol Cancer, 20, 794-797, 2010. 査読有り
158. Nishimura S, Tsuda H, Ito K, Takano M, Terai Y, Jobo T, Kigawa J, Sugiyama T, Yaegashi N, Aoki D. Differential expression of hypoxia-inducible protein 2 among different histological types of epithelial ovarian cancer and in clear cell adenocarcinomas. Int J Gynecol Cancer, 20, 220-226, 2010. 査読有り
159. Takano M, Sugiyama T, Yaegashi N, Sagae S, Kuzuya K, Udagawa Y, Tsuda H, Suzuki M, Kigawa J, Goto T, Moriya T, Kikuchi Y. Less impact of adjuvant chemotherapy for stage I clear cell carcinoma of the ovary: a retrospective Japan Clear Cell Carcinoma Study. Int J Gynecol Cancer, 20, 1506-1510, 2010. \* 査読有り
160. Nagase S, Katabuchi H, Hiura M, Sakuragi N, Aoki Y, Kigawa J, Saito T, Hachisuga T, Ito K, Uno T, Katsumata N, Komiyama S, Susumu N, Emoto M, Kobayashi H, Metoki H, Konishi I, Ochiai K, Mikami M, Sugiyama T, Mukai M, Sagae S, Hoshiai H, Aoki D, Ohmichi M, Yoshikawa H, Iwasaka T, Udagawa Y, Yaegashi N. Evidence-based guidelines for treatment of uterine body neoplasm in Japan: Japan Society of Gynecologic Oncology (JSGO) 2009 edition. Int J Clin Oncol, 15, 531-542, 2010. \* 査読有り
- ② 外科的侵襲を回避した安全な組織修復・再生医療を可能にする体性幹細胞応用技術の開発研究
1. Sahara Y, Horie A, Fukami H, Goto N, Nakanishi-Matsui M. Functional roles of the v-ATPase in the salivary gland. J Oral Biol (in press). 査読有り
2. Yoshino R, Iwasaki S, Takago H, Nakanima T, Sahara Y, Kitamura K. Developmental increase in hyperpolarization activated current regulates intrinsic firing properties in the rat vestibular ganglion cells. Neurosci (in press). 査読有り
3. Liu S, Liu J, Miura Y, Tanabe C, Maeda T, Terayama Y, Turner AJ, Zou K, Komano H. Conversion of Abeta43 to Abeta40 by the successive action of angiotensin-converting enzyme 2 and angiotensin-converting enzyme. J Neurosci Res, 92, 1178-1186, 2014. \* 査読有り
4. Liu J, Liu S, Tanabe C, Maeda T, Zou K, Komano H. Differential effects of angiotensin II receptor blockers on Abeta generation. Neurosci Lett, 567, 51-56, 2014. \* 査読有り
5. Saitoh S, Nezu T, Sasaki K, Taira M, Miura H. Effect of gold deposition onto titanium on the adsorption of alkanethiols as the protein linker functionalizing the metal surface. Dent Mater J, 33, 111-117, 2014. 査読有り
6. Aomatsu E, Takahashi N, Sawada S, Okubo N, Hasegawa T, Taira M, Miura H, Ishisaki A, Chosa N. Novel SCRG1/BST1 axis regulates self-renewal, migration, and osteogenic differentiation potential in mesenchymal stem cells. Sci Rep, 4, 3652, 2014. 査読有り

7. [Sakamoto Y](#), Suzuki Y, Iizuka I, Tateoka C, Roppongi S, Fujimoto M, Inaka K, Tanaka H, Masaki M, Ohta K, Okada H, [Nonaka T](#), Morikawa Y, Nakamura KT, Ogasawara W, Tanaka N. S46 peptidases are the first exopeptidases to be members of clan PA. *Sci Rep*, 4, 4977, 2014. 査読有り
8. [Sakamoto Y](#), Suzuki Y, Iizuka I, Tateoka C, Roppongi S, Okada H, [Nonaka T](#), Morikawa Y, Nakamura KT, Ogasawara W, Tanaka N. Crystallization and preliminary X-ray crystallographic studies of dipeptidyl aminopeptidase BII from *Pseudoxanthomonas mexicana* WO24. *Acta Crystallogr F Struct Biol Commun*, 70, 221-224, 2014. 査読有り
9. Suzuki Y, [Sakamoto Y](#), Tanaka N, Okada H, Morikawa Y, Ogasawara W. Identification of the catalytic triad of family S46 exopeptidases, closely related to clan PA endopeptidases. *Sci Rep*, 4, 4292, 2014. 査読有り
10. [Wang T](#), [Takikawa Y](#), Watanabe A, Kakisaka K, Oikawa K, Miyamoto Y, [Suzuki K](#). Erratum to: Proliferation of mouse liver stem/progenitor cells induced by plasma from patients with acute liver failure is modulated by P2Y receptor-mediated JNK activation. *J Gastroenterol*, 2014. \* 査読有り
11. [Takikawa Y](#), Harada M, [Wang T](#), [Suzuki K](#). Usefulness and accuracy of the international normalized ratio and activity percent of prothrombin time in patients with liver disease. *Hepatol Res*, 44, 92-101, 2014. 査読有り
12. [Suzuki K](#), Kataoka K, Miyamoto Y, Miyasaka A, Kumagai I, [Takikawa Y](#), Takahashi M, Okamoto H. Clinical and molecular analyses of sporadic acute hepatitis A and E and the specific viral genotypes isolated in Iwate and three neighboring prefectures in the northern part of Honshu, Japan, between 2004 and 2013. *Hepatol Res*, 2014. \* 査読有り
13. Mochida S, [Takikawa Y](#), Nakayama N, Oketani M, Naiki T, Yamagishi Y, Fujiwara K, Ichida T, Tsubouchi H. Classification of the etiologies of acute liver failure in Japan: A report by the Intractable Hepato-Biliary Diseases Study Group of Japan. *Hepatol Res*, 2014. 査読有り
14. Kuroda H, Kakisaka K, Oikawa T, Onodera M, Miyamoto Y, Sawara K, Endo R, [Suzuki K](#), [Takikawa Y](#). Liver stiffness measured by acoustic radiation force impulse elastography reflects the severity of liver damage and prognosis in patients with acute liver failure. *Hepatol Res*, 2014. 査読有り
15. Kosaka T, Endo M, Toya Y, Abiko Y, Kudara N, Inomata M, Chiba T, [Takikawa Y](#), [Suzuki K](#), [Sugai T](#). Long-term outcomes of endoscopic submucosal dissection for early gastric cancer: a single-center retrospective study. *Dig Endosc*, 26, 183-191, 2014. 査読有り
16. Kawaguchi T, Shiraishi K, Ito T, [Suzuki K](#), Koreeda C, Ohtake T, Iwasa M, Tokumoto Y, Endo R, Kawamura NH, Shiraki M, Habu D, Tsuruta S, Miwa Y, Kawaguchi A, Kakuma T, Sakai H, Kawada N, Hanai T, Takahashi S, Kato A, Onji M, Takei Y, Kohgo Y, Seki T, Tamano M, Katayama K, Mine T, Sata M, Moriwaki H. Branched-chain amino acids prevent hepatocarcinogenesis and prolong survival of patients with cirrhosis. *Clin Gastroenterol Hepatol*, 12, 1012-1018 e1011, 2014. 査読有り
17. Kasai K, Kooka Y, Suzuki Y, Suzuki A, Oikawa T, Ushio A, Kasai Y, Sawara K, Miyamoto Y, Oikawa K, [Takikawa Y](#). Efficacy of Hepatic Arterial Infusion Chemotherapy Using 5-Fluorouracil and Systemic Pegylated Interferon alpha-2b for Advanced Intrahepatic Cholangiocarcinoma. *Ann Surg Oncol*, 21, 3638-3645, 2014. 査読有り
18. Kakisaka K, [Takikawa Y](#). Elevation of serum cytokines preceding elevation of liver enzymes in a case of drug-induced liver injury. *Hepatol Res*, 44, E284-289, 2014. 査読有り

り

19. Kakisaka K, Kooka Y, Oikawa T, Suzuki A, Oikawa K, Kuroda H, Kasai K, Takikawa Y. Bimodal peaks of liver stiffness in a case of drug-induced liver injury. *Hepatol Res*, 2014. 査読有り
20. Ito K, Yotsuyanagi H, Yatsushashi H, Karino Y, Takikawa Y, Saito T, Arase Y, Imazeki F, Kurosaki M, Umemura T, Ichida T, Toyoda H, Yoneda M, Mita E, Yamamoto K, Michitaka K, Maeshiro T, Tanuma J, Tanaka Y, Sugiyama M, Murata K, Masaki N, Mizokami M. Risk factors for long-term persistence of serum hepatitis B surface antigen following acute hepatitis B virus infection in Japanese adults. *Hepatology*, 59, 89-97, 2014. 査読有り
21. Aomatsu E, Chosa N, Nishihira S, Sugiyama Y, Miura H, Ishisaki A. Cell-cell adhesion through N-cadherin enhances VCAM-1 expression via PDGFRbeta in a ligand-independent manner in mesenchymal stem cells. *Int J Mol Med*, 33, 565-572, 2014. \* 査読有り
22. Yokota J, Chosa N, Sawada S, Okubo N, Takahashi N, Hasegawa T, Kondo H, Ishisaki A. PDGF-induced PI3K-mediated signaling enhances the TGF-beta-induced osteogenic differentiation of human mesenchymal stem cells in a TGF-beta-activated MEK-dependent manner. *Int J Mol Med*, 33, 534-542, 2014. \* 査読有り
23. Javed F, Thafeed Alghamdi AS, Mikami T, Mehmood A, Ahmed HB, Samaranyake LP, Tenenbaum HC. Effect of glycemic control on self-perceived oral health, periodontal parameters, and alveolar bone loss among patients with prediabetes. *J Periodontol*, 85, 234-241, 2014. 査読有り
24. Javed F, Ahmed HB, Mikami T, Almas K, Romanos GE, Al-Hezaimi K. Cytokine profile in the gingival crevicular fluid of rheumatoid arthritis patients with chronic periodontitis. *J Investig Clin Dent*, 5, 1-8, 2014. 査読有り
25. Mikami T, Kumagai A, Aomura T, Javed F, Sugiyama Y, Mizuki H, Takeda Y. Cytopathologic diagnosis on joint lavage fluid for patients with temporomandibular joint disorders. *Diagn Cytopathol*, 42, 30-36, 2014. 査読有り
26. Matsui M, Chosa N, Shimoyama Y, Minami K, Kimura S, Kishi M. Effects of tongue cleaning on bacterial flora in tongue coating and dental plaque: a crossover study. *BMC Oral Health*, 14, 4, 2014. 査読有り
27. Ohara-Nemoto Y, Rouf SM, Naito M, Yanase A, Tetsuo F, Ono T, Kobayakawa T, Shimoyama Y, Kimura S, Nakayama K, Saiki K, Konishi K, Nemoto TK. Identification and characterization of prokaryotic dipeptidyl-peptidase 5 from *Porphyromonas gingivalis*. *J Biol Chem*, 289, 5436-5448, 2014. 査読有り
28. Takebe J, Miyata K, Miura S, Ito S. Effects of the nanotopographic surface structure of commercially pure titanium following anodization-hydrothermal treatment on gene expression and adhesion in gingival epithelial cells. *Mater Sci Eng C Mater Biol Appl*, 42, 273-279, 2014. \* 査読有り
29. Matsushita N, Hirose M, Sanbe A, Kondo Y, Irie Y, Taira E. Nicorandil improves electrical remodelling, leading to the prevention of electrically induced ventricular tachyarrhythmia in a mouse model of desmin-related cardiomyopathy. *Clin Exp Pharmacol Physiol*, 41, 89-97, 2014. 査読有り
30. Wang T, Takikawa Y, Watanabe A, Kakisaka K, Oigawa K, Miyamoto Y, Suzuki K. Proliferation of mouse liver stem/progenitor cells induced by plasma from patients with acute liver failure is modulated by P2Y receptor-mediated JNK activation. *J Gastroenterol*, 2013. \* 査読有り

31. [Takikawa Y](#), Senga Y, Nonomura T, Matsuda Y, Kakutani K, Toyoda H. Targeted destruction of fungal structures of *Erysiphe trifoliorum* on flat leaf surfaces of *Marchantia polymorpha*. *Plant Biol (Stuttg)*, 2013. 査読有り
32. Takase HM, Itoh T, Ino S, [Wang T](#), Koji T, Akira S, [Takikawa Y](#), Miyajima A. FGF7 is a functional niche signal required for stimulation of adult liver progenitor cells that support liver regeneration. *Genes Dev*, 27, 169-181, 2013. \* 査読有り
33. [Suzuki K](#), Sugawara T, Ishida Y, Suwabe A. Compound heterozygous mutations (p.Leu13Pro and p.Tyr294\*) associated with factor VII deficiency cause impaired secretion through ineffective translocation and extensive intracellular degradation of factor VII. *Thromb Res*, 131, 166-172, 2013. 査読有り
34. [Suzuki K](#), Ohmori Y, Nagao M. Accumulation of nitrate and nitrite in chilled leaves of rice seedlings is induced by high root temperature. *Plant Cell Physiol*, 54, 1769-1779, 2013. 査読有り
35. Oketani M, Ido A, Nakayama N, [Takikawa Y](#), Naiki T, Yamagishi Y, Ichida T, Mochida S, Onishi S, Tsubouchi H. Etiology and prognosis of fulminant hepatitis and late-onset hepatic failure in Japan: Summary of the annual nationwide survey between 2004 and 2009. *Hepatol Res*, 43, 97-105, 2013. 査読有り
36. Kato A, Tanaka H, Kawaguchi T, Kanazawa H, Iwasa M, Sakaida I, Moriwaki H, Murawaki Y, [Suzuki K](#), Okita K. Nutritional management contributes to improvement in minimal hepatic encephalopathy and quality of life in patients with liver cirrhosis: A preliminary, prospective, open-label study. *Hepatol Res*, 43, 452-458, 2013. 査読有り
37. Kasai K, Ushio A, Kasai Y, Sawara K, Miyamoto Y, Oikawa K, [Takikawa Y](#), [Suzuki K](#). Therapeutic efficacy of transarterial chemo-embolization with a fine-powder formulation of cisplatin for hepatocellular carcinoma. *World J Gastroenterol*, 19, 2242-2248, 2013. 査読有り
38. Fujino Y, Inoue Y, Onodera M, Kikuchi S, Endo S, Shozushima T, [Suzuki K](#). Risk factors for early re-bleeding and associated hospitalization in patients with colonic diverticular bleeding. *Colorectal Dis*, 15, 982-986, 2013. 査読有り
39. Chiba T, Yamamoto K, Sato S, [Suzuki K](#). Long-term efficacy and safety of ramosetron in the treatment of diarrhea-predominant irritable bowel syndrome. *Clin Exp Gastroenterol*, 6, 123-128, 2013. 査読有り
40. Zou K, Liu J, Watanabe A, Hiraga S, Liu S, Tanabe C, [Maeda T](#), Terayama Y, Takahashi S, Michikawa M, [Komano H](#). Abeta43 is the earliest-depositing Abeta species in APP transgenic mouse brain and is converted to Abeta41 by two active domains of ACE. *Am J Pathol*, 182, 2322-2331, 2013. \* 査読有り
41. Kimura H, [Okubo N](#), Chosa N, Kyakumoto S, Kamo M, Miura H, [Ishisaki A](#). EGF positively regulates the proliferation and migration, and negatively regulates the myofibroblast differentiation of periodontal ligament-derived endothelial progenitor cells through MEK/ERK- and JNK-dependent signals. *Cell Physiol Biochem*, 32, 899-914, 2013. \* 査読有り
42. Sawada S, Chosa N, [Ishisaki A](#), Naruishi K. Enhancement of gingival inflammation induced by synergism of IL-1beta and IL-6. *Biomed Res*, 34, 31-40, 2013. 査読有り
43. Takizawa N, Sawada S, Chosa N, [Ishisaki A](#), Naruishi K. Secreted caveolin-1 enhances periodontal inflammation by targeting gingival fibroblasts. *Biomed Res*, 34, 1-11, 2013. \* 査読有り
44. Saito D, Kyakumoto S, Chosa N, [Ibi M](#), Takahashi N, [Okubo N](#), Sawada S, [Ishisaki A](#),

- Kamo M. Transforming growth factor-beta1 induces epithelial-mesenchymal transition and integrin alpha3beta1-mediated cell migration of HSC-4 human squamous cell carcinoma cells through Slug. *J Biochem*, 153, 303-315, 2013. 査読有り
45. Takeda M, Mikami T, Numata Y, Okamoto M, Okayasu I. Papillary thyroid carcinoma with heterotopic ossification is a special subtype with extensive progression. *Am J Clin Pathol*, 139, 587-598, 2013. 査読有り
46. Mikami T, Yagi M, Mizuki H, Takeda Y. Congenital peripheral developing odontoma accompanied by congenital teratomatous fibroma in a 9-month-old boy: a case report. *J Oral Sci*, 55, 89-91, 2013. 査読有り
47. Mikami T, Hada T, Chosa N, Ishisaki A, Mizuki H, Takeda Y. Expression of Wilms' tumor 1 (WT1) in oral squamous cell carcinoma. *J Oral Pathol Med*, 42, 133-139, 2013. 査読有り
48. Javed F, Alghamdi AS, Ahmed A, Mikami T, Ahmed HB, Tenenbaum HC. Clinical efficacy of antibiotics in the treatment of peri-implantitis. *Int Dent J*, 63, 169-176, 2013. 査読有り
49. Rouf SM, Ohara-Nemoto Y, Ono T, Shimoyama Y, Kimura S, Nemoto TK. Phenylalanine 664 of dipeptidyl peptidase (DPP) 7 and Phenylalanine 671 of DPP11 mediate preference for P2-position hydrophobic residues of a substrate. *FEBS Open Bio*, 3, 177-183, 2013. 査読有り
50. Kishi M, Ohara-Nemoto Y, Takahashi M, Kishi K, Kimura S, Aizawa F, Yonemitsu M. Prediction of periodontopathic bacteria in dental plaque of periodontal healthy subjects by measurement of volatile sulfur compounds in mouth air. *Arch Oral Biol*, 58, 324-330, 2013. 査読有り
51. Yoshino N, Endo M, Kanno H, Matsukawa N, Tsutsumi R, Takeshita R, Sato S. Polymyxins as novel and safe mucosal adjuvants to induce humoral immune responses in mice. *PLoS One*, 8, e61643, 2013. 査読有り
52. Tanji T, Nishikori K, Shiraishi H, Maeda M, Ohashi-Kobayashi A. Co-operative function and mutual stabilization of the half ATP-binding cassette transporters HAF-4 and HAF-9 in *Caenorhabditis elegans*. *Biochem J*, 452, 467-475, 2013. 査読有り
53. Araki M, Hoshi K, Fujiwara M, Sasaki Y, Yonezawa H, Senpuku H, Iwamoto-Kihara A, Maeda M. Complementation of the Fo c subunit of *Escherichia coli* with that of *Streptococcus mutans* and properties of the hybrid FoF1 ATP synthase. *J Bacteriol*, 195, 4873-4878, 2013. 査読有り
54. Miyata K, Takebe J. Anodized-hydrothermally treated titanium with a nanotopographic surface structure regulates integrin-alpha6beta4 and laminin-5 gene expression in adherent murine gingival epithelial cells. *J Prosthodont Res*, 57, 99-108, 2013. 査読有り
55. Yoshida M, Saeki M, Egusa H, Irie Y, Kamano Y, Uruguchi S, Sotozono M, Niwa H, Kamisaki Y. RPAP3 splicing variant isoform 1 interacts with PIH1D1 to compose R2TP complex for cell survival. *Biochem Biophys Res Commun*, 430, 320-324, 2013. 査読有り
56. Hatakeyama W, Taira M, Takafuji K, Kihara H, Kondo H. Bone regeneration trial of rat critical-size calvarial defects using nano-apatite/collagen composites. *Nano Biomed*, 5, 95-103, 2013. 査読有り
57. Kagiya T, Taira M. Expression of microRNAs in the extracellular microvesicles of murine osteoclasts. *J Oral Tissue Eng*, 93, 737-738, 2013. 査読有り
58. Nakai T, Mano H, Ikeya Y, Sonoda K, Ashino S, Okumura Y, Ohkubo K, Kunimoto S, Kasamaki Y, Watanabe I, Hirayama A, Nakai K. Electrical strom a filter cardiac

- resynchronization therapy in a patient with nonischemic cardiomyopathy: Singnal averagedvactor projected 187 channelelectrocardiogram-based risk stratification for lethal arrhythmia. *J Arrhythmia* 29, 353-356, 2013. 査読有り
59. Niimi K, Horie S, Yokosuka M, Kawakami-Mori F, Tanaka K, Fukayama H, Sahara Y. Heterogeneous electrophysiological and morphological properties of neurons in the mouse medial amygdala in vitro. *Brain Res*, 1480, 41-52, 2012. 査読有り.
60. Tsumura M, Sobhan U, Muramatsu T, Sato M, Ichikawa H, Sahara Y, Tazaki M, Shibukawa Y. TRPV1-mediated calcium signal couples with cannabinoid receptors and sodium-calcium exchangers in rat odontoblasts. *Cell Calcium*, 52, 124-136, 2012. 査読有り
61. Wang T, Takikawa Y, Tabuchi T, Satoh T, Kosaka K, Suzuki K. Carnosic acid (CA) prevents lipid accumulation in hepatocytes through the EGFR/MAPK pathway. *J Gastroenterol*, 47, 805-813, 2012. \* 査読有り
62. Takikawa Y, Miyamoto Y, Onodera M, Kuroda H, Kasai K, Miyasaka A, Takahashi M, Okamoto H, Suzuki K. Icteric acute hepatitis E with no response of immunoglobulin M class anti-hepatitis E virus antibody. *Hepato Res*, 42, 1146-1149, 2012. 査読有り Kasai K, Kasai Y, Takikawa Y, Suzuki S. Clinical effect and significance of cisplatin for advanced hepatocellular carcinoma. *J Symptom Sign* 2012;1(2): 38-44. \* 査読有り
63. Yoshida M, Okubo N, Chosa N, Hasegawa T, Ibi M, Kamo M, Kyakumoto S, Ishisaki A. TGF-beta-operated growth inhibition and translineage commitment into smooth muscle cells of periodontal ligament-derived endothelial progenitor cells through Smad- and p38 MAPK-dependent signals. *Int J Biol Sci*, 8, 1062-1074, 2012. 査読有り
64. Nakai K, Itoh M, Okabayashi H, Tsuboi J, Mitsunaga Y, Komatsu T, Yoshioka K. Body surface two-dimensional spectral map of atrial fibrillation using vector-projected 187 channel electrocardiography. *Int Heart J*, 53, 5-10, 2012. 査読有り
65. Inoko A, Matsuyama M, Goto H, Ohmuro-Matsuyama Y, Hayashi Y, Enomoto M, Ibi M, Urano T, Yonemura S, Kiyono T, Izawa I, Inagaki M. Trichoplein and Aurora A block aberrant primary cilia assembly in proliferating cells. *J Cell Biol*, 197, 391-405, 2012. 査読有り
66. Hasegawa T, Chosa N, Asakawa T, Yoshimura Y, Fujihara Y, Kitamura T, Tanaka M, Ishisaki A, Mitome M. Differential effects of TGF-beta1 and FGF-2 on SDF-1alpha expression in human periodontal ligament cells derived from deciduous teeth in vitro. *Int J Mol Med*, 30, 35-40, 2012. 査読有り
67. Asakawa T, Chosa N, Yoshimura Y, Asakawa A, Tanaka M, Ishisaki A, Mitome M, Hasegawa T. Fibroblast growth factor 2 inhibits the expression of stromal cell-derived factor 1alpha in periodontal ligament cells derived from human permanent teeth in vitro. *Int J Mol Med*, 29, 569-573, 2012. 査読有り
68. Takahashi M, Okubo N, Chosa N, Takahashi N, Ibi M, Kamo M, Mizuki H, Ishisaki A, Kyakumoto S. Fibroblast growth factor-1-induced ERK1/2 signaling reciprocally regulates proliferation and smooth muscle cell differentiation of ligament-derived endothelial progenitor cell-like cells. *Int J Mol Med*, 29, 357-364, 2012. 査読有り
69. Takahashi N, Chosa N, Hasegawa T, Nishihira S, Okubo N, Takahashi M, Sugiyama Y, Tanaka M, Ishisaki A. Dental pulp cells derived from permanent teeth express higher levels of R-cadherin than do deciduous teeth: implications of the correlation between R-cadherin expression and restriction of multipotency in mesenchymal stem cells. *Arch Oral Biol*, 57, 44-51, 2012. \* 査読有り

70. Kuroda H, Takikawa Y, Suzuki K. Non-invasive markers of liver fibrosis. *Eur Gastroenterol Hepatol* 2011;7:264-267. 査読有り
71. Wang T, Takikawa Y, Satoh T, Yoshioka Y, Kosaka K, Tatemichi Y, Suzuki K. Carnosic acid prevents obesity and hepatic steatosis in ob/ob mice. *Hepatol Res*, 41, 87-92, 2011.\* 査読有り
72. Ohsawa M, Kato K, Tanno K, Itai K, Fujishima Y, Okayama A, Turin TC, Onoda T, Suzuki K, Nakamura M, Kawamura K, Akiba T, Sakata K, Fujioka T. Seropositivity for anti-HCV core antigen is independently associated with increased all-cause, cardiovascular, and liver disease-related mortality in hemodialysis patients. *J Epidemiol*, 21, 491-499, 2011. 査読有り
73. Mochida S, Takikawa Y, Nakayama N, Oketani M, Naiki T, Yamagishi Y, Ichida T, Tsubouchi H. Diagnostic criteria of acute liver failure: A report by the Intractable Hepato-Biliary Diseases Study Group of Japan. *Hepatol Res*, 41, 805-812, 2011. 査読有り
74. Kasai K, Ushio A, Tamura Y, Sawara K, Kasai Y, Oikawa K, Endo M, Takikawa Y, Suzuki K. Conservative treatment of an aortoesophageal fistula after endovascular stent grafting for a thoracic aortic aneurysm. *Med Sci Monit*, 17, CS39-42, 2011. 査読有り
75. Kasai K, Ushio A, Kasai Y, Sawara K, Miyamoto Y, Oikawa K, Kuroda H, Takikawa Y, Suzuki K. Combination therapy of intra-arterial 5-fluorouracil and systemic pegylated interferon alpha-2b for advanced hepatocellular carcinoma. *Int J Clin Oncol*, 16, 221-229, 2011. 査読有り
76. Kasai K, Ushio A, Kasai Y, Sawara K, Miyamoto Y, Oikawa K, Kuroda H, Takikawa Y, Suzuki K. Therapeutic efficacy of combination therapy with intra-arterial 5-fluorouracil and systemic pegylated interferon alpha-2b for advanced hepatocellular carcinoma with portal venous invasion. *Cancer*, 118, 3302-3310, 2012. 査読有り
77. Ikeda K, Chiba T, Sugai T, Kangawa K, Hosoda H, Suzuki K. Correlation between plasma or mucosal ghrelin levels and chronic gastritis. *Hepatogastroenterology*, 58, 1622-1627, 2011. 査読有り
78. Endo M, Abiko Y, Oana S, Kudara N, Kosaka T, Chiba T, Takikawa Y, Suzuki K, Sugai T. Usefulness of double-balloon endoscopy in the postoperative gastrointestinal tract. *Gastroenterol Res Pract*, 2011, 429462, 2011. 査読有り
79. Chiba T, Sato K, Toya Y, Endo K, Abiko Y, Kasugai S, Saito S, Oana S, Kudara N, Endo M, Suzuki K. Serial changes in cytokine expression in irritable bowel syndrome patients following treatment with calcium polycarbophil. *Hepatogastroenterology*, 58, 1527-1530, 2011. 査読有り
80. Chiba T, Kudara N, Abiko Y, Endo M, Suzuki K, Sugai T, Ishijima K, Fukuda K, Yamazaki K, Sato H. Effects of proton pump inhibitors in patients with laryngopharyngeal reflux disease. *Hepatogastroenterology*, 58, 1580-1582, 2011. 査読有り
81. Chiba T, Endo M, Matsushita S, Sasaki M, Chida S, Toya Y, Kasugai S, Matsuda N, Orikasa S, Abiko Y, Kudara N, Oana S, Suzuki K. Peripheral Blood CD64 Levels Decrease in Crohn's Disease following Granulocyte and Monocyte Adsorptive Apheresis. *Case Rep Gastroenterol*, 5, 667-671, 2011. 査読有り
82. Kuroda H, Takikawa Y, Onodera M, Kakisaka K, Yoshida Y, Kataoka K, Sawara K, Miyamoto Y, Oikawa K, Endo R, Suzuki K. Serial changes of liver stiffness measured by acoustic radiation force impulse imaging in acute liver failure: a case report. *J Clin Ultrasound*, 40, 99-104, 2012. 査読有り
83. Taira M, Kagiya T, Sasaki M and Kimura S: Quantitative real-time RT-PCR analyses of

- DNA-damage-recovery-related gene expressions of mouse macrophage-like cell line RAW264 when exposed to IC50 nickel ions. *Nano-Biomed* 3: 294-299, 2011. \* 査読有り
84. Miyagata Y, Nakai K, Sugiyama Y. Clinical significance of combined CYP2C9 and VKORC1 genotypes in Japanese patients requiring warfarin. *Int Heart J*, 52, 44-49, 2011. 査読有り
85. Nakai K, Takahashi S, Suzuki A, Hagiwara N, Futagawa K, Shoda M, Shiga T, Takahashi K, Okabayashi H, Itoh M, Kasanuki H. Novel algorithm for identifying T-wave current density alternans using synthesized 187-channel vector-projected body surface mapping. *Heart Vessels*, 26, 160-167, 2011. 査読有り
86. Marutani T, Maeda T, Tanabe C, Zou K, Araki W, Kokame K, Michikawa M, Komano H. ER-stress-inducible Herp, facilitates the degradation of immature nicastrin. *Biochim Biophys Acta*, 1810, 790-798, 2011. 査読有り
87. Liu J, Liu S, Tanabe C, Maeda T, Zou K, Komano H. Differential effects of angiotensin II receptor blockers on Abeta generation. *Neurosci Lett*, 567, 51-56, 2014. 査読有り
88. Kanno Y, Ishisaki A, Kawashita E, Chosa N, Nakajima K, Nishihara T, Toyoshima K, Okada K, Ueshima S, Matsushita K, Matsuo O, Matsuno H. Plasminogen/plasmin modulates bone metabolism by regulating the osteoblast and osteoclast function. *J Biol Chem*, 286, 8952-8960, 2011. 査読有り
89. Nishihira S, Okubo N, Takahashi N, Ishisaki A, Sugiyama Y, Chosa N. High-cell density-induced VCAM1 expression inhibits the migratory ability of mesenchymal stem cells. *Cell Biol Int*, 35, 475-481, 2011. 査読有り
90. Ibi M, Zou P, Inoko A, Shiromizu T, Matsuyama M, Hayashi Y, Enomoto M, Mori D, Hirotsune S, Kiyono T, Tsukita S, Goto H, Inagaki M. Trichoplein controls microtubule anchoring at the centrosome by binding to Odf2 and ninein. *J Cell Sci*, 124, 857-864, 2011. 査読有り
91. Takahashi G, Matsumoto N, Shozushima T, Onodera C, Kan S, Akitomi S, Hoshikawa K, Kikkawa T, Kojika M, Inoue Y, Suzuki K, Wakabayashi G, Endo S. Retrospective study on the effect of tight glucose control in postoperative sepsis patients using an artificial pancreas. *J Infect Chemother*, 17, 812-820, 2011. 査読有り
92. Taira M, Shimoyama Y, Kagiya T, Sasaki M, Nezu T, Harada H, Kimura S. Proteome analyses of human macrophages exposed to low cytotoxic IC90 copper (2+) ions. *Dent Mater J*, 30, 293-299, 2011. 査読有り
93. Taira M, Kagiya T, Harada H, Sasaki M, Kimura S, Narushima T, Nezu T, Araki Y. Microscopic observations and inflammatory cytokine productions of human macrophage phagocytosing submicron titanium particles. *J Mater Sci Mater Med*, 21, 267-275, 2010. 査読有り
94. Nezu T, Taira M, Saitoh S, Sasaki K, Araki Y. Viscoelastic adlayers of collagen and lysozyme studied using quartz crystal microbalance with dissipation monitoring. *Int J Biol Macromol*, 46, 396-403, 2010. 査読有り
95. Saitoh S, Sasaki K, Nezu T, Taira M. Viscoelastic behavior of commercially available tissue conditioners under compression. *Dent Mater J*, 29, 461-468, 2010. 査読有り
96. Suzuki A, Shiga T, Nakai K, Futagawa K, Matsuyama Y, Shoda M, Kasanuki H, Hagiwara N. Interlead difference between T-peak to T-end intervals in resynchronization patients with an implantable cardioverter-defibrillator. *J Electrocardiol*, 43, 706-712, 2010. 査読有り
97. Fukushima A, Nakai K, Matsumoto A, Strasburger J, Sugiyama T. Prenatal diagnosis of

- polymorphic ventricular tachycardia using 64-channel magnetocardiography. *Heart Vessels*, 25, 270-273, 2010. 査読有り
98. Sakamoto Y, Ike M, Tanaka N, Suzuki Y, Ogasawara W, Okada H, Nonaka T, Morikawa Y, Nakamura KT. Crystallization and preliminary X-ray crystallographic studies of an exo-beta-D-glucosaminidase from *Trichoderma reesei*. *Acta Crystallogr Sect F Struct Biol Cryst Commun*, 66, 309-312, 2010. 査読有り
99. Fukushima A, Nakai K, Matsumoto A, Strasburger J, Sugiyama T. Prenatal diagnosis of polymorphic ventricular tachycardia using 64-channel magnetocardiography. *Heart Vessels*, 25, 270-273, 2010. 査読有り
100. Minagawa H, Watanabe A, Akatsu H, Adachi K, Ohtsuka C, Terayama Y, Hosono T, Takahashi S, Wakita H, Jung CG, Komano H, Michikawa M. Homocysteine, another risk factor for Alzheimer disease, impairs apolipoprotein E3 function. *J Biol Chem*, 285, 38382-38388, 2010. 査読有り
101. Tanabe C, Hotoda N, Sasagawa N, Futai E, Komano H, Ishiura S. ADAM19 autolysis is activated by LPS and promotes non-classical secretion of cysteine-rich protein 2. *Biochem Biophys Res Commun*, 396, 927-932, 2010. 査読有り
102. Hasegawa T, Chosa N, Asakawa T, Yoshimura Y, Ishisaki A, Tanaka M. Establishment of immortalized human periodontal ligament cells derived from deciduous teeth. *Int J Mol Med*, 26, 701-705, 2010. 査読有り
103. Yoshida Y, Ito S, Kamo M, Kezuka Y, Tamura H, Kunimatsu K, Kato H. Production of hydrogen sulfide by two enzymes associated with biosynthesis of homocysteine and lanthionine in *Fusobacterium nucleatum* subsp. *nucleatum* ATCC 25586. *Microbiology*, 156, 2260-2269, 2010. 査読有り
104. Hasegawa T, Chosa N, Asakawa T, Yoshimura Y, Asakawa A, Ishisaki A, Tanaka M. Effect of fibroblast growth factor-2 on periodontal ligament cells derived from human deciduous teeth in vitro. *Exp Ther Med*, 1, 337-341, 2010. 査読有り
105. Okubo N, Ishisaki A, Iizuka T, Tamura M, Kitagawa Y. Vascular cell-like potential of undifferentiated ligament fibroblasts to construct vascular cell-specific marker-positive blood vessel structures in a PI3K activation-dependent manner. *J Vasc Res*, 47, 369-383, 2010. 査読有り
106. Onodera M, Takikawa Y, Kakisaka K, Wang T, Horiuchi S. Differential evaluation of hepatocyte apoptosis and necrosis in acute liver injury. *Hepatol Res*, 40, 605-612, 2010.\* 査読有り
107. Ohsawa M, Kato K, Itai K, Tanno K, Fujishima Y, Konda R, Okayama A, Abe K, Suzuki K, Nakamura M, Onoda T, Kawamura K, Sakata K, Akiba T, Fujioka T. Standardized prevalence ratios for chronic hepatitis C virus infection among adult Japanese hemodialysis patients. *J Epidemiol*, 20, 30-39, 2010. 査読有り
108. Kuroda H, Ushio A, Miyamoto Y, Sawara K, Oikawa K, Kasai K, Endo R, Takikawa Y, Kato A, Suzuki K. Effects of branched-chain amino acid-enriched nutrient for patients with hepatocellular carcinoma following radiofrequency ablation: a one-year prospective trial. *J Gastroenterol Hepatol*, 25, 1550-1555, 2010. 査読有り
109. Kuroda H, Kasai K, Kakisaka K, Yasumi Y, Kataoka K, Ushio A, Miyamoto Y, Sawara K, Oikawa K, Kondo K, Miura Y, Endo R, Takikawa Y, Suzuki K. Changes in liver function parameters after percutaneous radiofrequency ablation therapy in patients with hepatocellular carcinoma. *Hepatol Res*, 40, 550-554, 2010. 査読有り
110. Kuroda H, Kakisaka K, Tatemichi Y, Sawara K, Miyamoto Y, Oikawa K, Miyasaka A,

- Takikawa Y, Masuda T, Suzuki K. Non-invasive evaluation of liver fibrosis using acoustic radiation force impulse imaging in chronic hepatitis patients with hepatitis C virus infection. *Hepatology*, 57, 1203-1207, 2010. 査読有り
111. Kudara N, Chiba T, Suzuki K. Gastric emptying and electrogastrography in reflux esophagitis: results in patients showing endoscopically erosive esophagitis under proton pump inhibitor therapy. *Hepatology*, 57, 772-776, 2010. 査読有り
112. Kasai K, Ushio A, Sawara K, Miyamoto Y, Kasai Y, Oikawa K, Kuroda H, Takikawa Y, Suzuki K. Transcatheter arterial chemoembolization with a fine-powder formulation of cisplatin for hepatocellular carcinoma. *World J Gastroenterol*, 16, 3437-3444, 2010. 査読有り
113. Endo M, Higuchi M, Chiba T, Suzuki K, Inoue Y. Present state of endoscopic hemostasis for nonvariceal upper gastrointestinal bleeding. *Dig Endosc*, 22 Suppl 1, S31-34, 2010. 査読有り
114. Endo M, Higuchi M, Chiba T, Suzuki K and Inoue Y: Present state of endoscopic hemostasis for nonvariceal upper gastrointestinal bleeding. *Dig Endosc* 22 Suppl 1: S31-34, 2010.
115. Endo M, Abiko Y, Oana S, Kudara N, Chiba T, Suzuki K, Koizuka H, Uesugi N, Sugai T. Usefulness of endoscopic treatment for duodenal adenoma. *Dig Endosc*, 22, 360-365, 2010. 査読有り.

## <図書>

図書名、著者名、出版社名、総ページ数、発行年(西暦)について記入してください(左記の項目が網羅されていれば、項目の順序を入れ替えても可)。また、現在から発表年次順に遡り、通し番号を付してください。

①低侵襲・効率的ながん治療法開発を目的とした医歯薬連携トランスレーショナルリサーチ。

1. Nishizuka SS:Reverse-Phase Protein Lysate Microarray (RPA) for the Experimental Validation of Quantitative Protein Network Models,*Methods Mol Biol*,Springer,65-77,2011
2. M. Nakanishi-Matsui, S. Breton, H. Okamoto, and M. Futai. Roles and Regulatory Mechanism of Proton Pumping V-ATPase in Spermatozoa and Epididymis Physiology. *Testis: Anatomy, Physiology and Pathology*. Eds. Y. Nemoto and N. Inaba (2011) pp53-72, *Nova Science Publishers*.
3. Nishizuka SS:Reverse-Phase Protein Lysate Microarray (RPA) for the Experimental Validation of Quantitative Protein Network Models,*Methods Mol Biol*,Springer,65-77,2011

② 外科的侵襲を回避した安全な組織修復・再生医療を可能にする体性幹細胞応用技術の開発研究

1. Okubo N, Ishisaki A: Angiogenic capacity of periodontal ligament-derived stem cells. *Advances in oral tissue engineering*, Murata M ed, Quintessence Publishing, pp9-14, 2014

2. Taira M, Sasaki M, Kimura S: Macrophage reaction against sub-micron titanium particles.. Interface Oral Health Science 2011 by Springer, U.S.A.: 283-284, Proceedings of the 4th International Symposium for Interface Oral Health Science, Sasaki, Keiichi (Ed.), Springer, , 2012
3. Hasegawa T, Chosa N, Asakawa T, Yoshimura Y, Ishisaki A, Tanaka M: Eatablishment of periodontal ligament cell line derived from human deciduous teeth. Interface oral health science 2011, Sasaki K ed, Springer, New York, pp114-116, 2012
4. Asakawa T, Chosa N, Hasegawa T, Asakawa A, Ishisaki A, Tanaka M: Regulation of SDF-1 expression in periodontal ligament cells derived from human permanent teeth. Interface oral health science 2011, Sasaki K ed, Springer, New York, pp107-109, 2012